

# Sustainability indicators for fisheries products marketed in the EU: insights from STECF Expert Working Groups

*Market Advisory Council - WG1*

**3 April 2024**



Fabio Grati – Institute for Marine Biological Resources and Biotechnology of the National Research Council, Ancona, Italy  
*Chair of the STECF EWGs 22-12 and 23-18*


## Background

- In the context of food sustainability labelling and consumer information, the Commission is developing **indicators and grading methods** for a number of key fisheries-specific sustainability aspects with a view to determine fisheries product gradings.
- As a guiding principle, the indicators and grading methods should cover **both EU products and imports.**



# Background

- 3 meetings on this topic (+ 4 *ad hoc* contracts)
- 3 indicators selected and developed





# STECF EWG 20-05

➤ Suggested to develop a scoring system based on **5 levels**

➤ Proposed two levels of accuracy in scoring: **System 1** and **System 2**

Very low	1
Low	2
Medium	3
High	4
Very high	5



## CMO mandatory information

- Scientific name
- Catch area
- Gear category




## Additional information

- Precise catch area
- Precise gear


Provide transparent, comparable and reliable communication to the consumers, retailers, and producers

# Impact on the seabed

## Commercial species




## Associated habitat



Habitat	Seabed nature
Littoral (shallow water)	Rock
Infralittoral (<50 m)	Biogenic habitat
Circalittoral (50-200 m)	Coarse sediment
Offshore circalittoral (200-1000 m)	Mixed sediments
Upper bathyal (1000-2500 m)	Sand
Lower bathyal (2500-4000 m)	Mud
Abyssal (>4000 m)	Pelagic

## Impact of fishing gears




Fishing gears
CMO mandatory – 7 categories
CMO voluntary – 28 gears
FAO – 88 gears


- 1,850 species associated with their habitat (42 combinations habitat/seabed nature, + pelagic fish) vs fishing gears

# Impact on the seabed


## Commercial species



## Associated habitat



## Impact of fishing gears



Seabed nature	Score
Rock	3
Biogenic habitat	3
Coarse sediment	1
Mixed sediments	1
Sand	1
Mud	2
Pelagic	0

### Habitat and Gear combinations

From 1-3 scale to 1-5 scale

Very low	≤2
Low	3
Medium	4
High	5
Very high	6

Gear	Score
Dredges	3
Gillnets and similar	1
Hooks and lines	1
Pots and traps	1
Seines	2
Surrounding nets	1
Trawls	3



# Impact on the seabed



Based on CMO fishing gears classification				
<input type="checkbox"/> Reset	<b>3ACODE</b>	<b>Species (scientific name)</b>	<b>English name</b>	<b>Species score</b>
	HKE	<i>Merluccius merluccius</i>	European hake	1
	<b>CMO Code</b>	<b>Gear (CMO terminology)</b>	<b>Gear category (CMO)</b>	<b>Gear score</b>
	OTB	Bottom otter trawls	Trawls	3
<b>Result</b>		<b>Medium</b>		<b>4</b>

Based on FAO fishing gears classification				
<input type="checkbox"/> Reset	<b>3ACODE</b>	<b>Species (scientific name)</b>	<b>English name</b>	<b>Species score</b>
	HKE	<i>Merluccius merluccius</i>	European hake	1
	<b>CMO Code</b>	<b>Gear (FAO terminology)</b>	<b>Gear category (FAO)</b>	<b>Gear score</b>
	OTT	Twin bottom otter trawls	Bottom trawls	3
<b>Result</b>		<b>Medium</b>		<b>4</b>

Based on CMO gear categories classification				
<input type="checkbox"/> Reset	<b>3ACODE</b>	<b>Species (scientific name)</b>	<b>English name</b>	<b>Species score</b>
	HKE	<i>Merluccius merluccius</i>	European hake	1
	<b>CMO Code</b>	<b>Gear category (CMO)</b>	<b>Gear category (FAO)</b>	<b>Gear score</b>
	TX	Trawls	Generic trawls	3
<b>Result</b>		<b>Medium</b>		<b>4</b>

## System 2

- Based on the detailed gear (voluntary information foreseen by the CMO Reg.) – 28 gears
- Based on the FAO gear classification – 88 gears

## System 1

- Based on the categories of fishing gears (mandatory information from the CMO Reg.) – 7 categories

# Impact on the seabed

Seabed impact: all SPECIES-GEARS combinations





Figure 19. Distribution of scores (from A to E) for all combinations of gear-species, including those that could be irrelevant.



# Fishing pressure

Validated stock assessments

IUCN status or Sensitivity




Blim = limit reference point for SSB  
 MSY Btrigger = biomass reference point  
 Fmsy = fishing mortality for achieving MSY


IUCN Red list status  
 Sensitivity/Vulnerability to fisheries

# Fishing pressure

Annual Economic Report  
EU fleets landings  
(9,652 combinations species-areas)





3.9%  
376 combinations  
(223 species)  
to be investigated  
for sensitivity values



# Fishing pressure

Annual Economic Report  
EU fleets landings  
(9,652 combinations species-areas)





# Fishing pressure



EUMOFA database  
Imports  
(top 20 species - 91 combinations species-areas)



4.3%

**IMPORT - EXPORT**

**Description**

Exports (extra-EU) are goods recorded by Member States when they leave the territory of the EU (transit is not included).

Imports (extra-EU) are goods recorded by Member States when they enter the territory of the EU (transit is not included).

Intra-EU trade statistics record the trade of goods between Member States.

The standard source of extra-EU trade statistics is the customs declaration. For intra-EU trade, the source is any VAT-registered business that trades goods with other Member States.

- Clupea harengus*
- Gadus macrocephalus*
- Gadus morhua*
- Katsuwonus pelamis*
- Melanogrammus aeglefinus*
- Merluccius albidus*
- Merluccius angustimanus*
- Merluccius australis*
- Merluccius bilinearis*
- Merluccius capensis*
- Merluccius gayi*
- Merluccius hubbsi*
- Merluccius paradoxus*
- Merluccius productus*
- Micromesistius poutassou*
- Octopus vulgaris*
- Pollachius virens*
- Reinhardtius hippoglossoides*
- Theragra chalcogramma*
- Thunnus albacares*

## Sensitive species

*...the risk of negative interactions of a fishing gear targeting a specific species on a group of sensitive species*

- Marine mammals
- Marine turtles
- Seabirds
- Elasmobranchs (protected in EU or IUCN VU, EN or CR)

This indicator has not been fully implemented at this time





## Sensitive species




- Score the **bycatch risk from 1 to 3** for each bycatch species group
- Calculate the **average of the scores** (1 to 3) over the groups of sensitive species
- **Rescale** the average from 1-3 **to 1-5** (five-level score)
- **Round** to the lowest whole number



### Apply a potential downgrade


- **+1** if more than one bycatch groups are scored at medium or high risk (score 2 or 3 in the 3-level scale, respectively) of interaction (i.e. a fishing activity affecting more than one sensitive group should be scored as putting overall more risk than an activity pressuring only one sensitive group)
- **+1** if the quality of the information is relatively poor following 4 criteria: 1) sensitivity species specificity; 2) sound and well documented methodology; 3) geographical coverage; 4) temporal coverage





# Sensitive species

EWG 23-18 recommended an implementation of this indicator in **6 steps**:



## Main conclusions:

- The indicators on the **Impact on the seabed** and the **Fishing pressure** have been **finalized** and ready to be operational
- **Further work** is required for the indicator on **Sensitive species** to become operational
- EWG 23-18 emphasized that the mandatory information outlined for producers in the **CMO regulation lacks the precision needed to develop scientifically sound sustainability indicators. A future revision of this regulation is recommended**, specifically calling for a more detailed definition of the production area and fishing gear



Thank you for your attention

